

Chipboard screw pfs+ with double countersunk head, pozidriv

with 4 ribs under the head, special cutting point type 17, full thread, hardened and waxed

Spaanderplaatschroef pfs+ dubbel verzonken kop, pozidriv

met 4 freesribben onder de kop, speciale snijpunt type 17, volledige draad, gehard en gewaxt

Vis à panneaux pfs+ double tête fraisée, empreinte pozi


avec 4 nervures sous la tête, pointe coupante type 17, filet complet, trempée et lubrifiée

Spanplattenschraube pfs+ Doppelflachkopf, Pozidriv Antrieb

4 Fräsrippen, Cut-Spitze Typ 17, Vollgewinde, gehärtet und gleitbeschichtet



DoP: PFWVZV001



| d [mm] | l [mm] | Art. Nr. | EAN code | PZ | dk [mm] | | |
|--|-----------|--------------------|---------------|------|------------|-----|-------|
| STANDARD PACKING - STANDAARDVERPAKKING - EMBALLAGE STANDARD - NORMALPACKUNG | | | | | | | |
| *2,5 | 12 | PFWVZV002002500123 | 5410439211697 | PZ 1 | 5 | 200 | 28800 |
| 2,5 | 16 | PFWVZV002002500163 | 5410439211796 | PZ 1 | 5 | 200 | 28800 |
| | 20 | PFWVZV002002500203 | 5410439211802 | PZ 1 | 5 | 200 | 28800 |
| *3,0 | 12 | PFWVZV002003000123 | 5410439211819 | PZ 1 | 6 | 200 | 28800 |
| 3,0 | 16 | PFWVZV002003000163 | 5410439211826 | PZ 1 | 6 | 200 | 28800 |
| | 20 | PFWVZV002003000203 | 5410439211833 | PZ 1 | 6 | 200 | 16000 |
| | 25 | PFWVZV002003000253 | 5410439211840 | PZ 1 | 6 | 200 | 16000 |
| | 30 | PFWVZV002003000303 | 5410439211857 | PZ 1 | 6 | 200 | 12000 |
| | 35 | PFWVZV002003000353 | 5410439211864 | PZ 1 | 6 | 200 | 12000 |
| | 40 | PFWVZV002003000403 | 5410439211871 | PZ 1 | 6 | 200 | 9600 |
| *3,5 | 12 | PFWVZV002003500123 | 5410439211888 | PZ 2 | 7 | 200 | 28800 |
| 3,5 | 16 | PFWVZV002003500163 | 5410439211895 | PZ 2 | 7 | 200 | 28800 |
| | 20 | PFWVZV002003500203 | 5410439211994 | PZ 2 | 7 | 200 | 16000 |
| | 25 | PFWVZV002003500253 | 5410439212083 | PZ 2 | 7 | 200 | 16000 |
| | 30 | PFWVZV002003500303 | 5410439212090 | PZ 2 | 7 | 200 | 12000 |
| | 35 | PFWVZV002003500353 | 5410439212106 | PZ 2 | 7 | 200 | 12000 |
| | 40 | PFWVZV002003500403 | 5410439212113 | PZ 2 | 7 | 200 | 7200 |
| | 45 | PFWVZV002003500453 | 5410439212120 | PZ 2 | 7 | 200 | 7200 |
| | 50 | PFWVZV002003500503 | 5410439212137 | PZ 2 | 7 | 200 | 7200 |
| *4,0 | 12 | PFWVZV002004000123 | 5410439212144 | PZ 2 | 8 | 200 | 28800 |

* Without cutting point
Zonder snijpunt
Sans pointe coupante
Ohne Cut-Spitze

PFWVZV

pfs⁺ - screw**Chipboard screw pfs+ with double countersunk head, pozidriv**

with 4 ribs under the head, special cutting point type 17, full thread, hardened and waxed

Spaanderplaatschroef pfs+ dubbel verzonken kop, pozidriv

met 4 freesribben onder de kop, speciale snijpunt type 17, volledige draad, gehard en gewaxt

Vis à panneaux pfs+ double tête fraisée, empreinte pozi


avec 4 nervures sous la tête, pointe coupante type 17, filet complet, trempée et lubrifiée

Spanplattenschraube pfs+ Doppelflachkopf, Pozidriv Antrieb

4 Fräsrippen, Cut-Spitze Typ 17, Vollgewinde, gehärtet und gleitbeschichtet



DoP: PWWZV001



| d [mm] | l [mm] | Art. Nr. | EAN code | PZ | dk [mm] | | |
|--------|--------------------|--------------------|---------------|------|---------|------|-------|
| 4,0 | 16 | PFWVZV002004000163 | 5410439212151 | PZ 2 | 8 | 200 | 16000 |
| | 20 | PFWVZV002004000203 | 5410439212168 | PZ 2 | 8 | 200 | 16000 |
| | 25 | PFWVZV002004000253 | 5410439212175 | PZ 2 | 8 | 200 | 12000 |
| | 30 | PFWVZV002004000303 | 5410439212182 | PZ 2 | 8 | 200 | 12000 |
| | 35 | PFWVZV002004000353 | 5410439212199 | PZ 2 | 8 | 200 | 9600 |
| | 40 | PFWVZV002004000403 | 5410439212205 | PZ 2 | 8 | 200 | 7200 |
| | 45 | PFWVZV002004000453 | 5410439212229 | PZ 2 | 8 | 200 | 7200 |
| | 50 | PFWVZV002004000503 | 5410439212236 | PZ 2 | 8 | 200 | 7200 |
| | 55 | PFWVZV002004000553 | 5410439212243 | PZ 2 | 8 | 200 | 4800 |
| | 60 | PFWVZV002004000603 | 5410439212250 | PZ 2 | 8 | 200 | 4800 |
| 4,5 | 16 | PFWVZV002004500163 | 5410439212267 | PZ 2 | 9 | 200 | 16000 |
| | 20 | PFWVZV002004500203 | 5410439212274 | PZ 2 | 9 | 200 | 12000 |
| | 25 | PFWVZV002004500253 | 5410439212281 | PZ 2 | 9 | 200 | 12000 |
| | 30 | PFWVZV002004500303 | 5410439212298 | PZ 2 | 9 | 200 | 9600 |
| | 35 | PFWVZV002004500353 | 5410439212328 | PZ 2 | 9 | 200 | 7200 |
| | 40 | PFWVZV002004500403 | 5410439212335 | PZ 2 | 9 | 200 | 7200 |
| | 45 | PFWVZV002004500453 | 5410439212342 | PZ 2 | 9 | 200 | 4800 |
| | 50 | PFWVZV002004500503 | 5410439212359 | PZ 2 | 9 | 200 | 4800 |
| | 55 | PFWVZV002004500553 | 5410439212366 | PZ 2 | 9 | 200 | 4800 |
| | 60 | PFWVZV002004500603 | 5410439212373 | PZ 2 | 9 | 200 | 3200 |
| 70 | PFWVZV002004500703 | 5410439212380 | PZ 2 | 9 | 200 | 3200 | |

Chipboard screw pfs+ with double countersunk head, pozidriv

with 4 ribs under the head, special cutting point type 17, full thread, hardened and waxed

Spaanderplaatschroef pfs+ dubbel verzonken kop, pozidriv


met 4 freesribben onder de kop, speciale snijpunt type 17, volledige draad, gehard en gewaxt

Vis à panneaux pfs+ double tête fraisée, empreinte pozi

avec 4 nervures sous la tête, pointe coupante type 17, filet complet, trempée et lubrifiée

Spanplattenschraube pfs+ Doppelflachkopf, Pozidriv Antrieb

4 Fräsrippen, Cut-Spitze Typ 17, Vollgewinde, gehärtet und gleitbeschichtet



| d [mm] | l [mm] | Art. Nr. | EAN code | PZ | dk [mm] | | |
|-----------|--------------------|--------------------|---------------|------|------------|------|-------|
| 5,0 | 16 | PFWVZV002005000163 | 5410439212397 | PZ 2 | 10 | 200 | 12000 |
| | 20 | PFWVZV002005000203 | 5410439212434 | PZ 2 | 10 | 200 | 9600 |
| | 25 | PFWVZV002005000253 | 5410439212441 | PZ 2 | 10 | 200 | 9600 |
| | 30 | PFWVZV002005000303 | 5410439212458 | PZ 2 | 10 | 200 | 7200 |
| | 35 | PFWVZV002005000353 | 5410439212465 | PZ 2 | 10 | 200 | 7200 |
| | 40 | PFWVZV002005000403 | 5410439212472 | PZ 2 | 10 | 200 | 7200 |
| | 45 | PFWVZV002005000453 | 5410439212489 | PZ 2 | 10 | 200 | 7200 |
| | 50 | PFWVZV002005000503 | 5410439212496 | PZ 2 | 10 | 200 | 4800 |
| | 55 | PFWVZV002005000553 | 5410439212502 | PZ 2 | 10 | 200 | 3200 |
| | 60 | PFWVZV002005000603 | 5410439212519 | PZ 2 | 10 | 200 | 3200 |
| 6,0 | 70 | PFWVZV002005000703 | 5410439212526 | PZ 2 | 10 | 200 | 2400 |
| | 30 | PFWVZV002006000303 | 5410439212533 | PZ 3 | 12 | 200 | 7200 |
| | 35 | PFWVZV002006000353 | 5410439212540 | PZ 3 | 12 | 200 | 4800 |
| | 40 | PFWVZV002006000403 | 5410439212557 | PZ 3 | 12 | 200 | 4800 |
| | 45 | PFWVZV002006000453 | 5410439212564 | PZ 3 | 12 | 200 | 3200 |
| | 50 | PFWVZV002006000503 | 5410439212571 | PZ 3 | 12 | 200 | 3200 |
| | 55 | PFWVZV002006000553 | 5410439212588 | PZ 3 | 12 | 200 | 2400 |
| | 60 | PFWVZV002006000603 | 5410439212595 | PZ 3 | 12 | 200 | 2400 |
| 70 | PFWVZV002006000703 | 5410439212601 | PZ 3 | 12 | 200 | 1600 | |